


The new Tayana 42 is a contrast of function and easy maintenance above deck with rich Teak/ Spruce woods below deck. Above deck she is "overigged" and all gear "oversized" to insure low wear and reliability for extended offshore use.

Tayana specializes in the ability to modify interiors to meet the individual needs of the "Particular" Live Aboard sailor.







Standard Equipmen

Sails & rig:

- 1. Aluminum Spars w/Staysail Boom
- 2. U.K. Sails-Main, Jib & Staysail (or equivalent)
- 3. Main & Staysail Covers, Jib Bag
- 4. S/S 1X19 Standing Rigging
- 5. Perforated Aluminum Toerail
- 6. Aluminum Main Traveler & Staysail Track (or equivalents)
- 7. Aluminum Genoa Tracks
- 8. Halyard Stoppers
- 9. Boom Vang
- 10. 2-Lewmar 44CST Primary
- 11. 2-Lewmar 40CST Secondary
 - 1-Lewmar 30CST Main Halyard
 - 1-Lewmar 30CST Jib Halyard
 - 1-Lewmar 16CST Stay Halyard
 - 1-Lewmar 16CST Reef Winch
 - 4-Winch Handles(or equivalent)

DECK EQUIPMENT:

- S/S Stem Fitting w/2 Anchor Rollers Leading to Windlass Locker
- 2. Two-Speed Manual Windlass
- 3. S/S Bow & Stern Pulpits
- 4. S/S Stanchions w/ P & S Gates
- 5. Double Vinyl-Coated Lifelines
- 6. S/S Mooring Cleats
- 7. Aluminum Opening Hatches
- 8. Stainless Opening Ports
- 9. Dorade Vents
- 10. Propane Locker
- 11. Teak Cockpit Seats & Sole
- 12. Teak Handrails
- 13. S/S Mast Rail
- 14. International Running Lights
- 15. S/S Pedestal Steering System
- 16. S/S Destroyer Wheel
- 17. Emergency Tiller

INTERIOR:

- 1. Three Separate Cabins
- 2. Teak and Spruce Interior
- 3. Teak & Holly Sole
- 4. Finish in Stain Varnish
- 5. Removable Ceiling Overhead w/Teak Battens

GALLEY:

1. Double S/S Sink

2. Two S/S Lined lceb

Front-loading

3. S/S Lined Stove Al.

4. Wood Chopping Ble

5. Teak Lockers & Doc

※ All specifications subject

- 6. Formica Counters in Head & Galley
- 7. Solid Teak Doors & Frames
- 8. 4" Vinyl-Covered Cushions
- 9. Teak Framed Mirrors in Head
- 10. Custom Interiors Available at Extra Charge

ENGINE & ELECTRICAL:

- 1. Yanmar 4JH2E,50HP, Diesel Engine
- 2. Two 120amp Batteries in FRP Boxes
- 3. 3 Position Battery Switch
- 4. 110V & 12VDC Electrical Panel w/Circuit Breakers
- 5. 30amp Shore Power Receptacle
- 6. 12V Dome & Reading Lights
- 7. 12V & 110V Outlets
- 8. Engine Room Blower

PLUMBING:

- Hot & Cold Pressure Water System to Both Head & Galley
- 2. Hot Water Heater-110V w/Heat Exchanger
- 3. 35 Gal. Holding Tank
- 4. Manual Marine Head
- 5. Shower Sump w/12V Pump
- 6. Bronze Sea Cocks on all Thru-Hull Fittings
- 7. Oval S/S Sink in Head
- 8. Electrical & Manual Bilge Pumps





x w/4" Insulation, Top &


to change without notice
















SPECIFICATIONS:

LOA: 41' 9"
LWL: 33'0"
BEAM: 12'6"
DRAFT: 5'10"
DISPLACEMENT: 29,147 1bs
BALLAST: 11,800 1bs
SAIL AREA: 1009 sq. ft.
FUEL TANK: 120 gal. in tw

NK: 120 gal. in two black iron tanks

WATER TANK: 150 gal.

150 gal. in two stainless tanks



TA-YANG YACHT BUILDING CO., LTD.

60. HAI CHIEN ROAD CHUNG MEN VILLAGE LIN YUAN KAOHSIUNG HSIEN.832 TAIWAN REPUBLIC OF CHINA

TEL:(07)6412721-3 6412422 FAX:(07)6423193 2229781 E-MAIL:tayangco@ms15.hinet.net

DEALER